



# CRCX LEGACY

## CRCX Direct Expansion

### In-row configuration

#### CRCX - I with condensing unit

Model			0021	0051	0071	0121	0151	0251
Power Supply	V/ph/Hz		230/1/50	230/1/50	230/1/50	230/1/50	400/3+N/50	400/3+N/50
<b>PERFORMANCE</b>								
Total cooling capacity gross	(1)	kW	8,81	10,6	16,6	28,6	37,2	57,5
Sensible cooling capacity gross	(1)	kW	8,81	9,61	15,7	27,4	37,2	57,5
Total power input (Comp.+fans)	(1)	kW	2,87	3,05	5,47	9,25	11,9	18,9
SHR	(2)		1,00	0,91	0,95	0,96	1,00	1,00
<b>FANS</b>								
Fans type			EC FAN	EC FAN	EC FAN	EC FAN	EC FAN	EC FAN
Quantity		N°	2	2	4	5	2	3
Air flow	(3)	m³/h	1500	1500	2700	4200	7000	12000
<b>NOISE LEVEL</b>								
Sound Power		dB(A)	79	79	80	86	78	82
Sound Pressure	(4)	dB(A)	59	59	60	66	58	62
<b>SIZE AND WEIGHT</b>								
A	(3)	mm	300	300	300	300	600	600
B	(3)	mm	1000	1000	1000	1000	1000	1000
H	(3)	mm	2085	2085	2085	2085	2085	2085
Weight	(3)	kg	185	175	190	193	220	232
<b>COUPLING UNIT EXTERNAL</b>								
Power supply	V/ph/Hz		230/1/50	230/1/50	400/3+N/50	400/3+N/50	400/3+N/50	400/3+N/50
<b>REFRIGERANT CIRCUIT</b>								
Compressors nr.		N°	1	1	1	1	1	1
Compressors power absorption		kW	2,58	2,63	4,56	7,19	9,50	14,4
Refrigerant charge		kg	3,00	3,00	6,00	11,0		
<b>FANS</b>								
Quantity		N°	1	2	1	2	4	6
Air flow for fan		m³/h	3200	6400	8640	15768	13932	20920
Fans power input		kW	0,13	0,13	0,60	0,60	0,30	0,30
<b>SIZE AND WEIGHT</b>								
Dimension A		mm	900	900	1450	1450	1825	2395
Dimension B		mm	420	420	550	550	1195	1195
Dimension H		mm	1240	1240	1200	1700	1865	1865
Weight		kg	108	108	182	247	440	500

**Notes:**

1 Indoor conditions (in) 35°C - R.H. 27%; Outdoor air temperature 35°C; ESP= 0Pa.

2 SHR = Sensible cooling capacity gross / Total cooling capacity gross.

3 Unit in standard configuration/execution, without optional accessories.

4 Average sound pressure level, at a distance of 2m, for units in a free field on a reflecting surface.

The average sound pressure level is calculated based on the sound power level measured in accordance with ISO 3744.

The units highlighted in this publication contain HFC R410A [GWP<sub>100</sub> 2088] fluorinated greenhouse gases.